The Effect of Physical Fitness on Body Fat

Asep Prabowo¹, Sofyan Hanif², James Tangkudung³

Doctoral candidate of Post-graduate of Physical Education at Jakarta State University, Indonesia *Corresponding Author: AsepPraboro 7217140052@mhs.unj.ac.i

Abstract: This study aimed to determine the effects of physical fitness on body fat. This research was conducted in National Sports Committee of Indonesia, specifically in Karawang Regency, and selected the athletes as the respondents. The researcher implemented causal studies and path analysis testing. Fourteen (14) respondents were selected by purposive sampling. The data were collected by using Harvard step test in order to measure the physical fitness, and Bioelectrical Impedance Analysis (BIA) data in order to measure the body fat. This study found that the path coefficient value of thephysical fitness on body fat is -0.212, while the value of t-count is -2.468. Therefore, the value of t-count is smaller than t-table, while the degree of freedom = 9 and α = 0.05, such as -2.26, and the probability value of Sig. (0.036) <significant level (0.05). Hence, H0 is rejected and H1 is accepted. In other words, physical fitness significantly has direct negative effect on body fat. In conclusion, physical fitness has a significant and direct negative effecton body fat, even when the athlete's physical fitness is better, it does not guarantee his body fat is also good.

Keywords: Physical fitness, body fat,

Introduction

Why athletes should consult with a sports nutritionist? Thenutritionists reveal that the athletes come to have a consultation about how to lose weight, especially in losing body fat. Their low body weight is useful in restricting the energy while doing several activities, increasing the body temperature, and supporting the mobility in order to prevent any injuries due to limited space[1].

Mostly, obesity is caused by a nutrient excess. In addition, obesity, especially abdominal obesity has built up to the extent that is likely to have a negative impact on health, such as cardiovascular and cancer. Regarding the psychological aspects of obesity, obesity can increase the risk of depression, bipolar, panicity, anxiety, and other negative impacts to humans' health; while in sex life, it can increase the risk of mortality, disability, and low quality of life.

The obesity or excess body fat phenomenon needs appropriate solutions such as implementing several techniques that can produce the best result, in order to achieve a healthy lifestyle.

According to Syakhustiyani[2], exercise is one of the factors that influencesomeone's physical fitness. By conducting regularexercise, it can strengthen cardiovascular and reduce the body fat, or in other words, the whole organs can adapt with the exercise loads.

Hence, what are the solutions? Sharkey[3] stated "What are the criteria of an ideal weight?" First, we have to reduce the body fat to the minimum amount: the minimum amount of body fat with good health and good nutrition can be around 5% for youth and 11% for young women. Wrestlers mostly have 5% body fat, and female runners have 7% body fat (while the male runners can have 5% body fat). However, it is not suggested that all males and females should reach those body fat percentages, while the coach only suggests that the body fat percentage should be as low as possible, depend on someone's health and capability."

According to the scholars, many people might have good tastes and can eat anything and anytime, but when they have normal digestive organs, they will eat sufficiently and prevent an obesity. Obesity is generally caused by eating too much and the excess of calories from any food sources.

a. Body fat

Body fat can be found in humans' body. Humans' body fat consist of lean tissue and adiposity. Conseptually, body fat is the amount of fat which represents the proportion of human's body weight, and it might have certainconditions, such as high blood pressure, heart diseases, diabetes, and cancer.

According to Lanham New et. al[1], "Obesity is defined as the excessive amount of body fat. The sufferer will have different body size, different body fat, and it cannot be identified by measuring the amount of absolute fat. For example, the first person has 20 kg body fat and60 kg body weight resulted33% body fat percentage, as follows: $20/60 \times 100 = 33\%$

Meanwhile, the second person who has 24 kgbody fat and 80 kg body weightresulted 30% body fat percentage, as follows:

24/80 X 100 = 30%.

It can be seen that the first person has lower body fat, but his body fat percentage is higher than the second person. The category of body fat is as follows:



Table 1. Body fat Category

b. Physical Fitness

Fitnessis orginated from the word fit, and fit means health. According to Giriwijoyo and Sidik [4],"Other terms related to fitness are: 1)Freshness, 2)Capability, and 3)Alacrity. Fitness is a combination of sports and activities conducted at a sports center or at home. In other words, "Sports are activities that involve physical abilities, physical fitness or physical skills that usually, but not always, involve competition between two or more people[5]. Hence, it can be concluded that physical fitness is human body's ability to function effectively when doing activities, and still has sufficient energy to handle or deal with any emergencies that may occur"[6]

Before increasing the physical fitness, it is necessary to know the type of theexercise, since the better theexercise, the higher the physical fitness. According to Widiastuti[7] "physical fitness relates to physical health, such as: (a) cardiorespiratory, (b) muscular strength, (c) muscular endurance, (d)flexibility, and (e) body composition. Hence, it can be concluded that the process of increasing physical exercise will improve athletes' physical fitness.

According to Giriwijoyo and Sidik[4], exercise is a conscious effort conducted continuously and systematically in order to improve the functional abilities of the body, based on thedemands of the task / the performance, such as physical abilities and technical abilities. Meanwhile, according to Indonesian Professional Sports Development and Supervision Agency, "Exercise is a systematic and progressive activity conducted for a long period of time based onsomeone's capability level, in order to establish physiological and psychological functions which are suitable with sports activities." Meanwhile, according to Bompa and Haff[8], exercise is an athlete's process in preparing his performance. The aim of the exercise is to improve athletes' capability for achieving optimal athletic work". Then, according to Tangkudung[9], "The goal can be achieved by implementing an appropriate exercise, based on the principles of exercise". The exercise program is arranged based on athletes' conditions, while their success depends on their own quality and ability.

Based on previous explanations, physical fitness is the body's ability to function effectively when doing activities, and still has sufficient energy to handle or deal with any emergencies that may occur. Meanwhile, exercises a systematic and planned way to improve physiological, psychological, and movement skills, in order to achieve the best performance. Thus, the exercise should be suitable with its principles.

According to Bompa and Haff[8], "the principles of exercise are: multilateral development rather than specialization, individualization, exercise model development, increased load, and a series of exercise loadings." Someone can be able to create exercise programs if he is able to measure them. Exercise programs can help to ensure and achieve the goals. According to Stone[10], "The principle of FITT are: F = frequency, I = Intensity, T = Time, and T: Type of exercise". In addition, warming up and coolingdown stages in the exerciseare also important, based on the initial level of physical fitness and the goals. "Then "can exercise burn fat?"The answer is "Yes". In fact, exercise is the only activity that burns fat significantly rather than other rough works such as farmers, porters, or pedicab rickshaws. If you want to burn more fat, you need more efforts in aerobic exercise;Meanwhile, when you want to tighten your body, the focus is exercise load[11]. A person's physical fitness can be checked by doing aerobic exercise, such as measuring the performance of the heart and lungs, by using Harvard Step Test. The assessment categories in Harvard Step Test are as follows:

Norm Values	Notes
> 90	Excellent
80-89	Good
65-79	Average
55-64	Below Average
< 55	Poor

Table 2. Assessment Categories

2. Materials and Methods

The researcher implemented causal studies and path analysis. Causal studies aim to determine whether the independent variable affected the outcome or dependent variable. In causal studies, the cause is considered as the independent variable, while the effect is the dependent variable. Meanwhile, the variables in the path analysis consist of exogenous (cause) and endogenous (result) variables. This is based on the study of the problems the objectives of this study.

This research was conducted in National Sports Committee of Indonesia, specifically in Karawang Regency, and selected the athletes as the respondents. Fourteen (14) respondents were selected by using purposive sampling, while the criteria were athletes who have invested more than 2 years in training and have excess weight. The instruments of this research were: data were collected by using Harvard step test in order to measure the physical fitness, and Bioelectrical Impedance Analysis (BIA) data in order to measure the body fat.

3. Results

a. In body fat variable, the results are: the mean = 50.00; standard deviation = 9.92; variance = 98.3077; median = 47.5; and mode = 39. The classification of body fat data areas follows:

of The Athletes' Body Fat							
No	Interval Class	Limits		Frequency			
		Below	Above	Absolute	Relative	Communicative	
1.	39 - 45	38.5	45.5	5	35,71%	35,71%	
2.	46 - 52	45.5	52.5	3	21,43%	57,14%	
3.	53 - 59	52.5	59.5	4	28,57%	85,71%	
4.	60 - 66	59.5	66.5	1	7,14%	92,86%	
5.	67 - 73	66.5	73.5	1	7,14%	100%	

Fable 3. F	Frequency	Distribution	of Athletes'	body f	at
	1 1				

Based on table 3,the histogram is made based on two axes, such as making vertical axis as the absolute frequency axis, and horizontal axis as the body fat score axis. In this case, on the horizontal axis, the limits of the interval class are showed, ranging from 38.5 to 73.5. These scores are obtained by subtracting `0.5 from the smallest data, and adding 0.5 for each class boundary at the highest limit. The histogram is as follow:



b. In physical fitness variable, the results are: the mean = 87.43; standard deviation = 23,128; variance of 534.5714; median = 89.0; and mode = 92. The classification of physical fitness data are as follows:

(of The A	\thle	tes'	Physic	al Fit	ness
No.	Interval Class	Limits		Frequency		
		Below	Above	Absolute	Relative	Communicative
1.	48-61	47.5	61.5	2	14,29%	14,29%
2.	62 - 75	61,5	75.5	2	14,29%	25,87%
3.	76 - 89	75.5	89.5	3	21,43%	50,00%
4.	90-103	89.5	103.5	2	14,29%	64,29%
5.	104 - 117	103.5	117.5	5	35,71%	100%
			-	14%	100%	

Table 4. Frequency distribution of the Athletes' physical Fitness

Based on table 4,the histogram is made based on two axes, such asvertical axis as the absolute frequency axis, and the horizontal axis as the fitness score axis. In this case, on the horizontal axis, limits of the interval class ranging from 47.5 to 117.5. These scores are obtained by subtracting 0.5 from the smallest data.and adding 0.5 for each class boundary at the highest limit. The histogram is as follow:



Test of Significance and Linearity of Body Fat Regression for Physical Fitness

From the data of regression equation model between body fat and physical fitness, it is found that the constant a = 76.344 and the regression coefficient b = -0.301. Thus, the relationship of the simple regression equation model is $\hat{Y} = 76.344 - 0.301X3$. Before the regression equation model is analyzed and used in drawing conclusions, the significance and linearity of the regression equation were tested. The results of the calculations of significance and linearity are arranged in the following:

Table5 Lineari	. The ty AN	test of IAVA, Ŷ	Signifi = 75,0	cance 3 – 0,3	and 85X₃
Sources of Variance	dk	JK	RJK	F _{count}	Ft _{able}
Total	14	36278		•	
Coefficient (a) 1	35000,00			
Regression (b	/a) 1	630,96	630,96	11,702**	4,75
Residue	12	647,04	53,92		
RJKTC	10	478,04	47,80	0,566 ^{ns}	19,40
Error	2	169,00	84,50		

Table 5. The test of Significance and Linearity ANAVA, Y = 75,03 - 0,35X3

Notes:

ns

- ** : Highly significant regression
 - (F_{count}> F_{tabel})
 - : Linear regression
 - (Fcount < Ftabel)
- dk : degree of freedom
- JK : sum of squares
- RJK: mean squares

Regression equation $\hat{Y} = 76.344 - 0.301X3$, for the significance test: $F_{count} = 11.702$ is greater than F_{table} (0.05; 1: 14)= 4.75 at $\alpha = 0.05$. Since $F_{count} > F_{table}$, the regression equation is considered as significant. For the linearity test, $F_{count} = 0.566$ is smaller than F_{table} (0.05; 10: 2) = 19.40 at $\alpha = 0.05$. Since $F_{count} < F_{table}$, then distribution of point estimation which forms a linear line is acceptable.

Based on the results, in order to answer the hypothesis about the effect of physical fitness to the body fat, the hypothesis tested are:

H₀: $\beta_{y1} > 0$

H₁: $\beta_{y1} < 0$

Then, the path coefficient value of the exercise to body fat is -0.212, while the t_{count} is -2.468. In other words, the value of t_{count} is smaller than the value of t_{table}, while H_{0} is rejected and H_{1} is accepted, or there is a significant and direct negative effect of exercise variables on body fat variables.

Discussion

The results of hypothesis revealed that physical fitness has a direct negative effect on body fat. Based on the result, it can be concluded that the increase of physical fitness will result a decrease in body fat, proved by the statistical data. The results of this study are in line with other previous statements, such as many athletes can reduce their body fat through physical exercise in order to improve their physical fitness, but some of the exercise programs do not always run smoothly. Phaidon[12] states that "not all people practice sports in extreme ways, for example in doing aerobic, they cando the exercise twice a day, for six days in a week; or they can run for hours everyday. However, when the body fat is not reduced, it is because the person consumes more unhealthy food. Then, athletes who have excess weight also have difficulties in losing weight. According to previous research conducted by Paramitha[13] even when a group of obese people have completed 12 weeks of Cardio exercises and monitored by the coach, it will not be effective when they do not change their eating patterns. In other words, they will not experience significant weight loss. "

Another fact stated by Stone[10], "Body composition is the total fat and muscle mass in the body, and also called as the percentage of total body mass, for example the percentage of body fat. If an athlete is considered "thin", it is because the athlete generally has a lot of muscles or less fat. Someone who has high percentage of body fat relatively haslower amount of muscles. The first example, the person can have a higher risk for chronic diseases related to body fat, such as heart disease, stroke, diabetes, hypertension, and cancer. The second example, the person has a high risk forany diseases related to lack of muscle mass, such as poor physical function, unhealthy bones, or a high risk of falling". Then, according to Papadopoulou[14], athletes with higher levels of body fat can have more difficulties, since it can be found in vitamins A, B1, B12, folic acid, and minerals P and Mn, while p < 0.05, compared to other athletes.

In addition, according to Lanham[1], there are several conditions that increase the athlete's body fat beyond the ideal or healthy limit. A common example is when the athletes come back after getting injured; their body fat can be increased significantly than their body weight." Meanwhile, according to Balaban and Bobick[15], the muscles can turn into body fat if someone stops exercising. The muscles begin to shrink and the body fat begins to expand. However, when the muscles turn into fat, the number of muscle cells are not changed. "

Generally, exercise is a systematic and progressive activity conducted for a long period, based on someone's capability level, such as physiological and psychological functions that are suitable with sports activities. The higher the exercise level, the better the performance achieved. In addition, exercise is useful in burning body fat.

Another finding revealed by Haruyama[16], when someone has sufficient amount of muscles, 60% of the fat will be burned. Meanwhile, if a person has lower amount of muscles, only 30% of calories are burned, and the rest (30%) will be stored as body fat.

The main issue discussed currently is how to burn calories with speed, power and muscle building approaches, since people consume the food based on its taste, not its composition. Then, several fitness centers are provided in order to increase atlethes' or other societies' strength, muscles, and agilities.

Conclusion

Based on the results, it can be concluded that physical fitness significantly has a direct negative effect on the body fat, or in other words, even when the athlete's physical fitness is better, it does not guarantee his body fat is also good.

Suggestions

- a. Based on the result of this study, it can be identified that physical fitness significantly has adirect negative effect on the body fat. Hence, the athletes should arrange their eating pattern, in order to prevent other negative impacts.
- b. In order to reduce body fat, other researchers, trainers, doctors, and coaches can examine physical fitness from other aspects, such as stress, overload, and other motivations related to weight or body fat loss.

Acknowledgement

My greatest gratitude is for Allah SWT the Most Merciful and the Especially Merciful. Moreover, the author would like to thanks for all of friends and family, I would say that my achievements are the anwers of the prayers from all of you. Thank you for all wishes and prayers given to me.

REFERENCES

- [1] Lanham-New, Susan A., Macdonald., I. A., & Roche, H. M. *METABOLISME ZAT GIZI*. (Susan, Ed.) (2nd ed.). Buku Kedokteran EGC. Jakarta, 2016.
- [2] Syakhustiani. Jurnal Olahraga Pendidikan. (Sukarno, Ed.), Jurnal Olahraga Pendidikan (1st ed., Vol. 1). Jakarta: ASISTEN DEPUTI OLAHRAGA PENDIDIKAN DEPUTI BIDANG PEMBUDAYAAN OLAHRAGA KEMENTERIAN PEMUDA DAN OLAHRAGA REPUBLIK INDONESIA. Retrieved from jurnalordik@gmail.com
- [3] Sharkey, B. J. Physiology of fitness. (Susan K. Wilmoth, Ed.) (Vol. 91). United States of America: Library of Congress Cataloging.
- [4] Giriwijoyo, S., & Sidik, D. Z. Fisiologi Olahraga. (Adriyani Kamsyach, Ed.) (2nd ed.). Bandung: PT. Remaja Rosdakarya. Retrieved from www.rosda.co.id
- [5] Lori A. Smolin, M. . B. G. Nutrition for Sports and Excercise. Healthy Eating, A Guide to Nutrition.
- [6] Shearer, J., Agius, L., Burke, N., Bao, M. B. B. C. H., Rahardja, R., & Young, S. W. BMI is a Better Predictor of Periprosthetic Joint Infection Risk than Local Measures of Adipose Tissue Following TKA. *The Journal of Arthroplasty*. https://doi.org/10.1016/j.arth.2020.01.048
- [7] Widiastuti. Tes dan Pengukuran Olahraga (1st ed.). Jakarta: PT. Raja Grafindo Persada. Retrieved from http://www.ratagrafindo.co.id
- [8] Bompa, T. O., & Haff, G. G. Periodization: theory and methodology of exercise. (M. S. Bahrke, Ed.) (5th ed.). United States of America: Human Kinetics. Retrieved from www.HumanKinetics.com
- [9] Tangkudung, J. SPORT PSYCHOMETRICS: Dasar-Dasar dan Instrumen Psikometri Olahraga. (Octiviena, Ed.) (1st ed.). Depok: PT. Raja Grafindo Persada. Retrieved from http://www.rajagrafindo.co.id
- [10] Stone, K. W. Program Olahraga: Osteoporisis. Panduan untuk Tulang yang Lebih Kuat dan Sehat. (H. J. Pranantyo, Ed.). Yogyakarta: PT. Citra Aji Parama. Retrieved from www.citraajipratama.com
- [11] Pahaidon L. Toruan. The New Fat-loss Not Weight-loss: Gemuk Tapi Ramping. (Nabila Rahman, Ed.) (1st ed.). Jakarta Selatan: Trans Media Pustaka. Retrieved from www.transmediapustaka.com
- [12] Phaidon L. Toruan. The New Fat-loss Not Weight-loss: Gemuk Tapi Ramping. (Rani, Ed.) (1st ed.). Trans Media Pustaka. Jakarta, 2015.
- [13] Shinta Paramita. Sehat Dan Bugar dengan Terapi Jus Buah & Sayur. (J. B. Parvita, Ed.). Lintas Media. Jakarta, 2012.

- [14] Papadopoulou, S. K., & Papadopoulou, S. D. Nutritional status of top team-sport athletes according to body fat. Nutrition and Food Science, 40(1), 64–73. https://doi.org/10.1108/00346651011015935
- [15] Balaban, N. E., & Bobick, J. E. Seri Ilmu Pengetahuan Anatomi dan Fisiologi. (Bambang Sarwiji, Ed.) (1st ed.). jakarta Barat: PT. Indeks. Retrieved from indeks@indeks-penerbit.com
- [16] Shigeo Haruyama. The Miracle of Endorphin. (Qanita, Ed.) (cetakan 1). Bandung: Qanita. Retrieved from PT. Mizan Pustaka, 2015.