

Enhancing Doctor-Patient Communication through Digital Media Platforms: A Study on Innovation in Health Interaction

by Andi Subhan Amir

Submission date: 20-Sep-2024 04:54PM (UTC+0700)

Submission ID: 2459881699

File name: Full_Paper_ASA_ICISTECH_2024.doc (320K)

Word count: 6397

Character count: 40931

Enhancing Doctor-Patient Communication through Digital Media Platforms: A Study on Innovation in Health Interaction

Andi Subhan Amir^{1*}, Deddy Mulyana², Susanne Dida³, Jenny Ratna Suminar⁴

^{1,2,3,4} Faculty of Communication, Padjadjaran University, Sumedang, Jawa Barat, Indonesia

*Corresponding Author: andi21020@mail.unpad.ac.id

Abstract : In the digital era, communication technology enhances interaction quality across various sectors, including healthcare. Communication between doctors and patients can be improved through innovative digital media platforms. However, there is a knowledge gap regarding the effectiveness and implementation of digital media in doctor-patient interactions. This study aims to evaluate the impact of digital media platforms on doctor-patient communication and identify factors influencing the effectiveness of such communication. This research employs a qualitative method with a case study approach over six months, with inclusion criteria comprising doctors and patients actively using digital media. Subjects were selected through purposive sampling, involving 20 doctors and 50 patients. Data were analyzed using thematic analysis to identify critical patterns and themes. The findings indicate that digital media usage enhances the accessibility and responsiveness of communication, enables real-time health monitoring, and increases patient satisfaction through more personal and interactive communication. Factors such as doctors' digital skills, patients' preferences, and institutional support play significant roles in communication effectiveness. Digital media also reduce communication errors and improve the efficiency of health information delivery. The implications of this study suggest that integrating digital technology in medical communication enhances interaction quality and accelerates digital transformation in the healthcare sector.

Keywords: Digital Media, Doctor-Patient Communication, Health Technology, Healthcare Innovation

1. INTRODUCTION

Information technology has permeated various sectors, including healthcare, in the ever-evolving digital era (R.F. Willemsen, J. J. Aardoom, O.P. van der Galiën, S. van de Vijver, N.H. Chavannes, Anke Versluis. 2023). (Aisha T. Langford, Kerli Orellana, Nancy Buderer, Katerina Andreadis, Stephen K. Williams. 2023). This development influences how information is disseminated and received and redefines interactions among multiple stakeholders, particularly between doctors and patients (Mohammad Alkhamees, Ibrahim Alasqah. 2023). (Emilie Stern, Zélia Breton, Maïa Alexaline, P. Geoffroy, Catherine Bungener. 2024).. Effective communication between doctors and patients is crucial in quality healthcare, as it plays a significant role in accurate diagnosis, patient adherence to treatment, and improved health outcomes (Chandra S, Mohammadnezhad M. 2021). (Filomena Marino, Francesca Alby, Cristina Zucchermaglio, Marilena Fatigante. 2023). (Vega-Hurtado C. 2020). The advent of digital media platforms, such as health applications, patient portals, and telemedicine services, has opened new opportunities for enhancing the quality of doctor-patient interactions ((Ezeilo CO, Leon N, Jajodia A, Han HR. 2023). (Teresa Sofie Schick, Lea Höllerl, Tilo Biedermann, Alexander M. Zink, Stefanie Ziehfreund. 2022). (Diyan

Ermawan Effendi, Sri Am Handayani, Arief Priyo Nugroho, Irfan Ardani, Y. Fitrianti, Karlina Karlina, et al. 2023).. Digital media enables more responsive, personal, and interactive communication, which is expected to overcome various challenges previously encountered in conventional communication (Forgie EME, Lai H, Cao B, Stroulia E, Greenshaw AJ, Goetz H. 2021). (Marino F, Alby F, Zucchermaglio C, Fatigante M. 2023). (Smailhodzic E, Hooijsma W, Boonstra A, Langley DJ. 2016). However, despite the increasing adoption of digital technology in the healthcare sector, there remains a knowledge gap regarding the effectiveness and implementation of digital media in doctor-patient communication, which is the focus of this study.

Although the use of digital media in health communication is on the rise, there still needs to be a comprehensive understanding regarding its effectiveness and application in doctor-patient interactions. Numerous studies have highlighted the potential of digital media to enhance communication (R.F. Willemsen, J. J. Aardoom, O.P. van der Galiën, S. van de Vijver, N.H. Chavannes, Anke Versluis. 2023). (Alif IS, Karnay S, Amir AS. 2023). (Sultan MI, Amir AS. 2023). (Al-Rahmi WM, Al-Adwan AS, Al-Maatouk Q, Othman MS, Alsaud AR, Almogren AS, et al. 2023). (Huo J, Desai R, Hong YR, Turner K, Mainous AG, Bian J. 2019). (Gyórfy Z, Boros J, Döbrösy B, Girasek E. 2023). (Gordon CR, Rezzadeh KS, Li A, Vardanian A, Zelken J, Shores JT, et al. 2015). Yet only some have deeply evaluated the extent to which this technology genuinely improves the quality of medical interactions. The main challenges in implementing digital media include various factors that can influence the quality of health communication. For instance, doctors' digital skills vary widely and can affect their ability to utilize technology effectively. Patients' preferences for digital communication versus face-to-face interaction are crucial considerations. Institutional support regarding technological infrastructure and training also plays a vital role in successfully adopting digital media in healthcare practices. This research aims to address these questions by evaluating the impact of digital media on doctor-patient communication and identifying key factors that influence its effectiveness.

A review of the existing literature reveals a growing body of research on the use of digital media in health communication (Torous J, Wisniewski H, Bird B, Carpenter E, David

G, Elejalde E, et al. 2019).²² (Scott BK, Miller GT, Fonda SJ, Yeaw RE, Gaudaen JC, Pavliscsak HH, et al. 2020). (Wisniewski H, Torous J. 2020). (Lupton D, Maslen S. 2019). (Wu YQ, Gong J. 2023). (Alwashmi MF. 2020).³⁰ (Boeck MA, Juillard CJ, Dicker RA, Joseph BA, Sakran JV. 2021). Numerous studies have explored the potential benefits of digital platforms, such as improved accessibility, enhanced patient engagement, and more efficient information dissemination²⁵ (Lyles CR, Nelson EC, Frampton S, Dykes PC, Cembali AG, Sarkar U. 2020).¹⁰ (Muscat DM, Shepherd HL, Nutbeam D, Trevena L, McCaffery KJ. 2021). (Boivin A, L'Espérance A, Gauvin FP, Dumez V, Macaulay AC, Lehoux P, et al. 2018).¹⁶ (Sharma AE, Rivadeneira NA, Barr-Walker J, Stern RJ, Johnson AK, Sarkar U. 2018). However, there needs to be more literature regarding the in-depth examination of factors that influence the effectiveness of digital communication between doctors and patients. Previous research often requires a comprehensive analysis of the variables that impact³ the successful implementation and utilization of these technologies in clinical settings. Specifically, there needs to be more insight into how doctors' digital skills, patients' communication preferences, and the degree of institutional support affect the outcomes of digital health interactions. This study aims to address these limitations by thoroughly evaluating these factors and their role in facilitating effective digital communication in healthcare. This research will fill a critical gap in the existing knowledge and contribute significantly to the development of best practices for integrating digital media into medical communication.

³² The primary objective of this study is to evaluate the impact of digital media platforms on doctor-patient communication. By assessing the various dimensions of digital interaction, this research aims to provide a comprehensive understanding of how these technologies influence the quality and effectiveness of medical consultations. Furthermore, the study seeks⁴⁷ to identify the key factors that affect the efficacy of communication through digital media. These factors may include the digital literacy of healthcare providers, patients' preferences for different modes of communication, and the level of institutional support available for integrating digital solutions into healthcare practices. This research intends to support integrating digital technology into medical interactions by presenting findings highlighting these critical elements. Ultimately, the goal is to offer insights that can facilitate the adoption

of effective digital communication strategies, thereby enhancing the overall quality of healthcare delivery.

This research distinguishes itself through its novel qualitative approach, employing an in-depth case study methodology to explore the nuances of digital media use in doctor-patient communication. Unlike prior studies that primarily focus on quantitative metrics or broad surveys, this research delves deeply into doctors' and patients' lived experiences and specific interactions. Doing so uncovers detailed insights and contextual factors often overlooked in more generalized studies.

The significance of this research lies in its potential to provide new perspectives on how digital media can be effectively utilized to enhance communication in healthcare settings. Moreover, this study addresses a critical gap by identifying and analyzing the specific factors that influence the effectiveness of digital communication, such as the digital literacy of healthcare providers, patient preferences, and institutional support. These insights are crucial for developing targeted strategies to optimize digital tools' use in medical practice. The findings from this research are expected to offer substantial contributions to the ongoing discourse on digital health transformation, supporting the development of more robust and effective digital communication practices in healthcare.

2. MATERIALS AND METHODS

Research Design: This study employs a qualitative research design (Creswell JW, Creswell JD. 2018). utilizing an in-depth case study approach to explore the impact of digital media platforms on doctor-patient communication. The research was conducted over six months in Indonesia, focusing on the interactions between doctors and patients who actively use digital media for healthcare communication.

Research Procedure: The research procedure involved selecting participants through purposive sampling and targeting individuals who met specific inclusion criteria (Denzin NK, Lincoln YS. 2018). The criteria included doctors and patients who regularly use digital media platforms, such as health applications, patient portals, and telemedicine services, for their medical interactions. A total of 20 doctors and 50 patients were recruited for this study.

Research Procedure: The research procedure involved selecting participants through purposive sampling, targeting individuals who met specific inclusion criteria. The criteria included doctors and patients who regularly use digital media platforms, such as health applications, patient portals, and telemedicine services, for their medical interactions. A total of 20 doctors and 50 patients were recruited for this study.

Data Collection Techniques: Data were collected using multiple methods to ensure comprehensive coverage of the research objectives. These methods included: (a) **Semi-Structured Interviews:** In-depth interviews were conducted with doctors and patients to gather detailed information about their experiences and perspectives on digital media use in healthcare communication. (b) **Observations:** Non-participant observations of digital interactions between doctors and patients were carried out to capture real-time communication dynamics and contextual factors. (c) **Document Analysis:** Relevant documents, such as communication logs from digital platforms and institutional policies on digital media use, were analyzed to provide additional context and support the findings from interviews and observations.

Data Analysis Techniques: The collected data were analyzed using thematic analysis to identify critical patterns and themes related to the effectiveness of digital media in doctor-patient communication. The steps involved in the data analysis process included: (a) **Familiarization with Data:** All interview transcripts, observation notes, and documents were thoroughly reviewed to understand the data comprehensively. (b) **Coding:** Initial codes were generated to categorize significant information and recurring concepts related to digital communication effectiveness, challenges, and influencing factors. (c) **Theme Development:** Codes were grouped into broader themes that encapsulate the study's main findings. Themes were refined and defined to represent the data accurately. (d) **Interpretation:** The identified themes were interpreted in the context of existing literature and the research objectives, providing insights into the impact of digital media platforms on healthcare communication.

Figures




Figure 1. Patient Communication Preferences




Figure 2. Patient by Age Group (Digital Tool Use)

3. RESULTS, DISCUSSION, AND CONCLUSION

The findings of this study indicate that the use of digital media significantly enhances the quality of communication between doctors and patients. Through digital platforms such as health applications and telemedicine services, patients find it easier to access relevant medical information and engage directly with their healthcare providers. Physicians with high levels of digital literacy can utilize these technologies more effectively, optimizing patient communication and providing more timely and personalized responses. Conversely, doctors

with limited digital skills often struggle to fully leverage the potential of these technologies, which can ultimately hinder communication effectiveness. Nevertheless, patients generally report higher satisfaction with conventional face-to-face interactions than digital communication, particularly regarding accessibility and convenience.

This study also identifies several challenges that impact the effectiveness of digital media in doctor-patient communication. One key finding is the variation in patient preferences, where some prefer direct interaction with their physicians, while others are more comfortable with digital communication (Figure 1). Age, educational level, and prior experience with digital technology influence these preferences. Moreover, the technological infrastructure within different healthcare institutions plays a crucial role in successfully implementing digital media; institutions with robust technological support tend to experience more positive outcomes in digital communication use. Thus, the success of digital media in healthcare communication is heavily influenced by contextual factors, including physicians' skills, patient preferences, and institutional support.

Physician A highlighted the significant advantages digital platforms have brought to their practice, particularly in enhancing patient communication. With a strong familiarity with digital tools such as telemedicine and patient portals, Physician A reported that these technologies have made it much easier to maintain regular contact with patients, improving the immediacy and quality of interactions. They emphasized, "I find that using digital platforms like telemedicine and patient portals has made it much easier to stay in touch with my patients. Since I am familiar with these technologies, I can quickly share information and respond to queries, which my patients appreciate. The immediacy and convenience are unparalleled compared to traditional methods." This familiarity allows for more efficient communication and contributes to higher patient satisfaction, as patients value the convenience and timeliness of responses that digital communication enables.

In contrast, Physician B expressed challenges related to digital literacy, which have negatively impacted communication effectiveness with their patients. Despite recognizing the potential benefits of digital tools, Physician B often finds navigating these platforms to be time-consuming and cumbersome, detracting from the quality of patient interactions. They shared, "Honestly, I struggle a bit with some of these digital tools. While I see the potential benefits, I often find myself spending more time trying to navigate the system than actually communicating with my patients. This sometimes makes the interactions less effective, and I worry that important nuances in patient communication might be lost." This struggle highlights

a critical barrier to successfully integrating digital media in healthcare: the varying levels of digital proficiency among healthcare providers. For Physician B, the time and effort required to use these platforms effectively sometimes overshadow the intended benefits, raising concerns about the potential loss of essential nuances in patient communication.

Patient X strongly preferred using digital platforms, especially patient portals, to communicate with their doctor. They found that the convenience and immediacy of these tools significantly enhanced their ability to engage with healthcare providers. Patient X appreciated the ability to communicate in real time and receive prompt responses to their concerns, which they found to be a more personal experience than traditional methods. They explained, “I prefer the digital platforms, especially the patient portal. It’s so convenient—I can message my doctor whenever I have a concern and usually get a quick response. It feels more personal because I can communicate in real time, even outside office hours.” This perspective highlights how digital communication can offer a more accessible and continuous connection between patients and healthcare providers, particularly for those comfortable using technology.

On the other hand, Patient Y preferred in-person communication with their doctor, citing a greater sense of comfort and clarity during face-to-face interactions. While they acknowledged the utility of digital communication for quick questions, Patient Y felt that discussing more severe health issues required the direct, personal engagement that in-person visits provide. They shared, “For me, I still prefer to talk to my doctor face-to-face. Digital communication is okay for quick questions, but I feel more comfortable discussing serious issues in person. I think it’s because I’m not very tech-savvy, and sometimes I worry that I might misunderstand something when it’s communicated digitally.” This sentiment reflects a common concern among less tech-savvy patients who may worry about potential misunderstandings when communicating through digital platforms. For these patients, the reassurance and trust from direct interaction with their healthcare providers are paramount, underscoring the importance of considering patient preferences when implementing digital communication tools in healthcare.

Age can significantly influence how individuals use and interact with digital tools, particularly in healthcare communication, as seen in (Figure 2). The effect of age on digital use can be summarized in the following ways: Digital Literacy and Comfort Level: Younger individuals (typically under 30) tend to be more digitally literate and comfortable using digital platforms, including health applications and telemedicine services. They are generally more adaptable to new technologies and are more likely to prefer digital communication with

healthcare providers.

Technology Adoption: Middle-aged individuals (approximately 30-60 years old) often have varying levels of digital literacy, depending on their exposure to technology in their professional and personal lives. While many in this age group are proficient in using digital tools, there can still be a significant portion that prefers traditional methods of communication, especially for more sensitive health-related issues.

Resistance to Change: Older adults (above 60 years) are more likely to be less comfortable with digital communication technologies. This group may have lower digital literacy, resulting in resistance to adopting digital health tools. They may prefer face-to-face interactions with healthcare providers due to familiarity and trust in conventional methods.

Access and Usage Patterns: Age can also influence how frequently and for what purposes individuals use digital communication tools in healthcare. Younger individuals might use these tools for various activities, from booking appointments to managing chronic conditions, whereas older adults might use them more selectively or with assistance. **Perception of Technology's Role:** Younger patients often view digital tools as integral to their healthcare experience, while older patients may see them as supplementary, preferring to rely on in-person consultations for critical health decisions.

²³ The findings of this study align with existing literature that highlights the potential of digital media to improve communication in healthcare settings. Previous research has consistently demonstrated that digital platforms can enhance patient engagement and facilitate more efficient information exchange, leading to better health outcomes. For instance, studies by Effendi et al. (Diyan Ermawan Effendi, Sri Am Handayani, Arief Priyo Nugroho, Irfan Ardani, Y. Fitrianti, Karlina Karlina, et al. 2023), ⁶ Lyles et al. (Lyles CR, Nelson EC, Frampton S, Dykes PC, Cembali AG, Sarkar U. 2020), Muscat et al. (Muscat DM, Shepherd HL, Nutbeam D, Trevena L, McCaffery KJ. 2021)., and Sharma et al. (Sharma AE, Rivadeneira NA, Barr-Walker J, Stern RJ, Johnson AK, Sarkar U. 2018) have shown that telemedicine and patient portals significantly improve patient satisfaction and adherence to treatment plans, echoing the positive effects observed in this study. Furthermore, the ability of digitally literate physicians to provide more personalized care through these platforms is consistent with earlier findings, which suggest that digital competence is a critical factor in the successful implementation of digital health technologies ⁵ (R.F. Willemsen, J. J. Aardoom, O.P. van der Galiën, S. van de Vijver, N.H. Chavannes, Anke Versluis. 2023). ²³ (Aisha T. Langford, Kerli Orellana, Nancy Buderer, Katerina Andreadis, Stephen K. Williams. 2023). (Emilie Stern,

Zélia Breton, Maïa Alexaline, P. Geoffroy, Catherine Bungener. 2024).6,25) Thus, the results of this research reinforce the established notion that digital media can play a crucial role in enhancing the quality of doctor-patient communication.

However, this study also reveals nuances that challenge some of the assumptions made in previous literature. While earlier studies have focused mainly on the benefits of digital media, this research highlights the disparities in outcomes based on varying levels of digital literacy among healthcare providers and patients. Unlike prior research that often presents digital communication as a universally beneficial tool, this study underscores the importance of contextual factors, such as technological infrastructure and user preferences, which can significantly influence the effectiveness of digital media in healthcare. Moreover, the findings suggest that digital communication may only be equally effective for some patient demographics, indicating a need for more tailored approaches to implement these technologies. These insights contribute to a more nuanced understanding of the role of digital media in healthcare, suggesting that while digital tools offer significant advantages, their efficacy is contingent upon several key factors that warrant further exploration.

One notable example from this study involves a physician with high digital literacy who successfully utilized a telemedicine platform to manage chronic disease consultations. This physician seamlessly integrated digital tools into the patient consultation process, offering timely updates on treatment plans and personalized health advice through secure messaging. The doctor's ability to navigate the digital platform improved the consultations' efficiency and enhanced the patient's understanding and engagement with their healthcare. The patient reported feeling more connected and informed, attributing this to the doctor's proficient use of the digital tools available. This case underscores the importance of digital literacy in maximizing the potential benefits of digital communication in healthcare.

Conversely, the study highlighted cases where lower levels of digital literacy among doctors led to less effective communication outcomes. In one instance, a physician struggled to utilize the digital platform effectively, resulting in delayed responses and less personalized care. In this case, the patient expressed frustration with the need for more clarity and the interactions' impersonal nature, which distracted them from the quality of care. This example illustrates the challenges faced by healthcare providers who may need to be more adept with digital technologies and how these challenges can negatively impact the patient experience. These contrasting cases within the study highlight the critical role of digital literacy in successfully implementing digital media in doctor-patient communication, suggesting that ongoing training

and support for healthcare providers are essential to fully realizing these technologies' benefits.

The findings of this study offer significant contributions to the theoretical understanding of digital communication in healthcare, particularly concerning its effectiveness and implementation. By demonstrating that digital literacy among healthcare providers is a critical determinant of communication success, this research deepens the theoretical discourse on the role of technological competence in medical practice. Previous theories on digital health communication have primarily focused on the availability and adoption of technology as critical factors for successful implementation. However, this study focuses on the human element—specifically, the varying degrees of digital skills among healthcare providers and patients. This nuanced understanding challenges existing models that assume a one-size-fits-all approach to digital communication in healthcare and suggests the need for more sophisticated theoretical frameworks that account for individual differences in digital competence.

Moreover, this research contributes to the ongoing debate regarding the role of patient preferences in the effectiveness of digital communication. While traditional theories often emphasize the efficiency and accessibility of digital platforms, this study highlights the complexity of patient interactions with these technologies. The findings suggest that patient satisfaction and communication outcomes are not solely dependent on the availability of digital tools but are also significantly influenced by individual preferences and the context in which these tools are used. This insight calls for re-evaluating existing theoretical models to incorporate patients' diverse needs and preferences, fostering a more personalized approach to digital health communication. The study, therefore, adds a new dimension to the theoretical landscape, emphasizing the importance of adaptability and personalization in effectively implementing digital health technologies.

The practical implications of this study are far-reaching, particularly in enhancing digital literacy among healthcare providers. The findings underscore the necessity for targeted training programs that equip doctors with the digital skills required to maximize the benefits of communication technologies. By addressing the disparities in digital literacy highlighted by the research, healthcare institutions can ensure that all providers can effectively utilize digital platforms, thereby improving the overall quality of doctor-patient interactions. This could involve the development of comprehensive training modules that not only cover the technical aspects of using digital tools but also emphasize the importance of patient-centered communication in the digital age. Additionally, institutions could implement continuous professional development initiatives that keep healthcare providers updated on the latest digital

trends and best practices, ensuring they remain proficient in utilizing these technologies.

Furthermore, the study's findings directly affect the design and development of digital communication platforms in healthcare. Identifying patient preferences as a critical factor in the success of digital communication suggests that platform designers should prioritize user-centered approaches when developing new tools. This could involve integrating customizable features that allow patients to choose their preferred communication modes through video calls, text messaging, or secure patient portals. Moreover, developers should consider the varying levels of digital literacy among both patients and healthcare providers, designing interfaces that are intuitive and accessible to users with different levels of technological experience. By focusing on these practical aspects, healthcare organizations can enhance the effectiveness of digital communication, leading to better patient outcomes and more efficient healthcare delivery.

One of the primary limitations of this study is the relatively small sample size, which may limit the generalizability of the findings. While sufficient for qualitative analysis, the study involved 20 doctors and 50 patients, which may only capture part of the spectrum of experiences and perspectives across diverse healthcare settings. Additionally, the variation in digital literacy among the participating doctors presents another significant limitation. The study primarily included healthcare providers already familiar with digital tools, potentially skewing the results towards more favorable outcomes. This selective sample may only partially represent the broader population of doctors who may struggle with digital media, thus limiting the applicability of the findings to all healthcare professionals. Moreover, the study was conducted within specific healthcare institutions that may have better technological infrastructure, further restricting the generalizability of the results to institutions with less advanced resources.

These limitations inevitably influence the interpretation of the study's findings. The small and somewhat homogenous sample could result in an overestimation of the positive impact of digital media on doctor-patient communication, mainly if the participants are more technologically savvy than the general population of healthcare providers and patients. As a result, the conclusions drawn may not fully reflect the challenges faced by less digitally literate individuals or those in under-resourced healthcare settings. To address these limitations in future research, including a more extensive and diverse sample encompassing a broader range of digital literacy levels and healthcare environments would be beneficial. Additionally, longitudinal studies could provide deeper insights into how digital communication tools

perform over time and in different contexts, offering a more comprehensive understanding of their effectiveness and applicability in various healthcare scenarios.

Building on the findings and limitations identified in this study, future research should explore digital communication in healthcare on a broader scale. One recommendation is to conduct studies with a more diverse sample, encompassing a more comprehensive range of healthcare settings, patient demographics, and cultural contexts. Such research could provide a more thorough understanding of digital media's functions across different environments and populations. Additionally, there is a need for studies that delve deeper into specific aspects of digital communication that still need to be explored, such as the impact of digital media on long-term patient outcomes or the effectiveness of different digital platforms in fostering patient engagement. By expanding the scope of research and focusing on these under-investigated areas, future studies could contribute to a more detailed and holistic understanding of digital communication in healthcare.

In light of the challenges and opportunities identified in this study, there is significant potential for innovation in digital media to enhance doctor-patient communication further. One key area for technological development is the creation of more intuitive and user-friendly platforms that accommodate varying levels of digital literacy among patients and healthcare providers. For instance, developing adaptive interfaces that can adjust to the user's skill level could help mitigate the disparities in digital competence observed in this study. Furthermore, integrating advanced features such as real-time translation services, personalized health dashboards, and AI-driven support tools could further streamline communication and make digital platforms more accessible to a broader audience. Continued innovation in these areas will be crucial in ensuring that digital media remains effective and evolves to meet the diverse needs of all users in the healthcare sector.

Integrating digital media into healthcare communication holds significant social implications, particularly concerning the accessibility and equity of healthcare services. Digital platforms have the potential to bridge the gap between healthcare providers and patients, especially in underserved or remote areas where access to medical care is limited. By facilitating virtual consultations and providing immediate access to medical information, digital media can help mitigate the challenges of geographic and economic barriers, thereby enhancing healthcare accessibility. This aligns with findings from studies such as those by Willemsen and colleagues, (R.F. Willemsen, J. J. Aardoom, O.P. van der Galiën, S. van de Vijver, N.H. Chavannes, Anke Versluis. 2023). (Smailhodzic E, Hooijsma W, Boonstra A,

Langley DJ. 2016). (Torous J, Wisniewski H, Bird B, Carpenter E, David G, Elejalde E, et al. 2019) (Boeck MA, Juillard CJ, Dicker RA, Joseph BA, Sakran JV. 2021) (Muscat DM, Shepherd HL, Nutbeam D, Trevena L, McCaffery KJ. 2021) which underscore the role of digital health tools in democratizing access to healthcare services. However, this study also highlights that the benefits of digital media are only uniformly experienced by some patients, pointing to the persistent digital divide that can exacerbate existing disparities in healthcare.

The digital divide, characterized by unequal access to technology and varying levels of digital literacy, poses a significant challenge to the equitable implementation of digital health communication. Patients from lower socioeconomic backgrounds or those with limited access to technology may need help to engage with digital platforms, potentially leading to a widening gap in healthcare quality between different demographic groups. This study's findings suggest that while digital media can enhance communication for some, it may inadvertently disadvantage others who are less technologically adept or lack the necessary resources. Therefore, digital media's social implications in healthcare necessitate carefully considering strategies to improve digital literacy and ensure that these technologies are accessible to all, regardless of socioeconomic status or geographic location. Addressing these issues is crucial to prevent the deepening of healthcare inequities and realize digital media's full potential as a tool for universal health communication.

The use of digital media in healthcare communication also raises several ethical concerns, particularly concerning patient data privacy and digital information security. As healthcare providers increasingly rely on digital platforms to communicate with patients and store medical records, the risk of data breaches and unauthorized access to sensitive information becomes a critical issue. This study underscores the importance of implementing robust cybersecurity measures to protect patient data, as highlighted by prior research on the vulnerabilities associated with digital health technologies. Ethical considerations extend to the responsibility of healthcare institutions to ensure that patient information is handled with the utmost confidentiality and that any use of digital communication platforms complies with existing privacy laws and regulations.

Additionally, the ethical implications of digital health communication encompass the challenge of ensuring that these technologies are used fairly and responsibly. This study reveals that disparities in digital literacy among patients and healthcare providers can lead to unequal access to the benefits of digital communication, raising concerns about justice and equity in healthcare delivery. There is a pressing need to develop guidelines and best practices

that address these ethical challenges, ensuring that digital media is practical and used equitably and respects all patients' rights. This includes providing adequate training for healthcare providers, educating patients on their rights and the proper use of digital tools, and establishing clear protocols for the ethical use of digital communication in clinical practice. By addressing these ethical considerations, the healthcare sector can better navigate the complexities of digital communication and uphold the principles of fairness and responsibility in patient care.

In conclusion, this study underscores the significant potential of digital media to enhance doctor-patient communication, particularly by improving accessibility, convenience, and patient satisfaction. However, the effectiveness of these digital platforms is contingent upon several critical factors, including the digital literacy of healthcare providers, patient preferences, and the technological infrastructure of healthcare institutions. While digitally proficient physicians and tech-savvy patients experience substantial benefits from these tools, disparities in digital skills and access highlight ongoing challenges that could exacerbate healthcare inequities. Furthermore, the ethical implications related to data privacy, security, and the fair use of technology demand careful consideration to ensure that digital media is leveraged responsibly and inclusively in healthcare. Overall, this study contributes to a more nuanced understanding of how digital communication can be optimized to improve healthcare delivery while addressing the complex social and ethical issues that accompany its implementation.

Acknowledgments

We are grateful to all the individuals and organizations who have contributed to the publication of this research paper. First and foremost, we would like to thank the Faculty of Communication, Padjadjaran University, for providing us with the resources and support we needed to complete this project. We are also grateful to the BPPT and LPDP (BPI Kemendikbudristek) for financial support for this research. With their help, we could complete this project.

REFERENCES

- Alif, I. S., Karnay, S., & Amir, A. S. (2023). Strategi komunikasi kesehatan penanganan stunting (Studi pada kelurahan Watang Bacukiki kota Parepare). *Interaksi*, 12(1), 66–89.
- Alkhamees, M., & Alasqah, I. (2023). Patient-physician communication in intercultural settings: An integrative review. *Heliyon*, 9(1), e16023. <https://doi.org/10.1016/j.heliyon.2023.e16023>

- Al-Rahmi, W. M., Al-Adwan, A. S., Al-Maatouk, Q., Othman, M. S., Alsaud, A. R., Almogren, A. S., & others. (2023). Integrating communication and task–technology fit theories: The adoption of digital media in learning. *Sustainability (Switzerland)*, *15*(10). <https://doi.org/10.3390/su15108144>
- Alwashmi, M. F. (2020). The use of digital health in the detection and management of COVID-19. *International Journal of Environmental Research and Public Health*, *17*(8), 2906. <https://doi.org/10.3390/ijerph17082906>
- Boeck, M. A., Juillard, C. J., Dicker, R. A., & Joseph, B. A. (2021). Turning value into action: Healthcare workers using digital media advocacy to drive change. *PLOS ONE*, *16*(4), e0250875. <https://doi.org/10.1371/journal.pone.0250875>
- Boivin, A., L'Espérance, A., Gauvin, F. P., Dumez, V., Macaulay, A. C., & Lehoux, P. (2018). Patient and public engagement in research and health system decision making: A systematic review of evaluation tools. *Health Expectations*, *21*(6), 1075–1084. <https://doi.org/10.1111/hex.12804>
- Chandra, S., & Mohammadnezhad, M. (2021). Doctor-patient communication in primary health care: A mixed-method study in Fiji. *International Journal of Environmental Research and Public Health*, *18*(14), 7548. <https://doi.org/10.3390/ijerph18147548>
- Creswell, J. W., & Creswell, J. D. (2018). *Research design: Qualitative, quantitative, and mixed methods approaches* (5th ed.). SAGE Publications.
- Denzin, N. K., & Lincoln, Y. S. (2018). *The SAGE handbook of qualitative research* (5th ed.). SAGE Publications.
- Effendi, D. E., Handayani, S. A., Nugroho, A. P., Ardani, I., Fitrianti, Y., Karlina, K., & others. (2023). The significance of physician-patient communication on telemedicine patients' health outcomes: Evidence from Indonesia. *Health Communication*, 1–10. <https://doi.org/10.1080/10410236.2023.2300183>
- Ezeilo, C. O., Leon, N., Jajodia, A., & Han, H. R. (2023). Use of social media for health advocacy for digital communities: Descriptive study. *JMIR Formative Research*, *7*(1), e51752. <https://doi.org/10.2196/51752>
- Forgie, E. M., Lai, H., Cao, B., Stroulia, E., Greenshaw, A. J., & Goetz, H. (2021). Social media and the transformation of the physician-patient relationship: Viewpoint. *Journal of Medical Internet Research*, *23*(12), e25230. <https://doi.org/10.2196/25230>
- Gordon, C. R., Rezzadeh, K. S., Li, A., Vardanian, A., Zelken, J., Shores, J. T., & others. (2015). Digital mobile technology facilitates HIPAA-sensitive perioperative messaging, improves physician-patient communication, and streamlines patient care. *Patient Safety in Surgery*, *9*(1), 21. <https://doi.org/10.1186/s13037-015-0081-7>

- Györfly, Z., Boros, J., Döbrössy, B., & Girasek, E. (2023). Older adults in the digital health era: Insights on the digital health-related knowledge, habits, and attitudes of the 65-year and older population. *BMC Geriatrics*, 23(1), 779. <https://doi.org/10.1186/s12877-023-04118-1>
- Huo, J., Desai, R., Hong, Y. R., Turner, K., Mainous, A. G., & Bian, J. (2019). Use of social media in health communication: Findings from the Health Information National Trends Survey 2013, 2014, and 2017. *Cancer Control*, 26(1), 1073274819841442. <https://doi.org/10.1177/1073274819841442>
- Langford, A. T., Orellana, K., Buderer, N., Andreadis, K., & Williams, S. K. (2023). Role of digital health communication, sociodemographic factors, and medical conditions on perceived quality of patient-centered communication. *Patient Education and Counseling*. Advance online publication. <https://doi.org/10.1016/j.pec.2023.09.005>
- Lupton, D., & Maslen, S. (2019). How women use digital technologies for health: Qualitative interview and focus group study. *Journal of Medical Internet Research*, 21(1), e11481. <https://doi.org/10.2196/11481>
- Lyles, C. R., Nelson, E. C., Frampton, S., Dykes, P. C., Cembali, A. G., & Sarkar, U. (2020). Using electronic health record portals to improve patient engagement: Research priorities and best practices. *Annals of Internal Medicine*, 172(11), S123–S129. <https://doi.org/10.7326/M19-0877>
- Marino, F., Alby, F., Zucchermaglio, C., & Fatigante, M. (2023). Digital technology in medical visits: A critical review of its impact on doctor-patient communication. *Frontiers in Psychiatry*, 14, 1226225. <https://doi.org/10.3389/fpsy.2023.1226225>
- Marino, F., Alby, F., Zucchermaglio, C., & Fatigante, M. (2023). Digital technology in medical visits: A critical review of its impact on doctor-patient communication. *Frontiers in Psychiatry*, 14, 1226225. <https://doi.org/10.3389/fpsy.2023.1226225>
- Muscat, D. M., Shepherd, H. L., Nutbeam, D., Trevena, L., & McCaffery, K. J. (2021). Health literacy and shared decision-making: Exploring the relationship to enable meaningful patient engagement in healthcare. *Journal of General Internal Medicine*, 36(2), 521–524. <https://doi.org/10.1007/s11606-020-06495-5>
- Schick, T. S., Höllerl, L., Biedermann, T., Zink, A. M., & Ziehfrend, S. (2022). Impact of digital media on the patient journey and patient-physician relationship among dermatologists and adult patients with skin diseases: Qualitative interview study. *Journal of Medical Internet Research*, 25, e44129. <https://doi.org/10.2196/44129>
- Scott, B. K., Miller, G. T., Fonda, S. J., Yeaw, R. E., Gaudaen, J. C., Pavliscsak, H. H., & others. (2020). Advanced digital health technologies for COVID-19 and future emergencies. *Telemedicine and e-Health*, 26(10), 1226–1233. <https://doi.org/10.1089/tmj.2020.0140>

- Sharma, A. E., Rivadeneira, N. A., Barr-Walker, J., Stern, R. J., Johnson, A. K., & Sarkar, U. (2018). Patient engagement in health care safety: An overview of mixed-quality evidence. *Health Affairs*, 37(11), 1813–1820. <https://doi.org/10.1377/hlthaff.2018.0708>
- Smailhodzic, E., Hooijsma, W., Boonstra, A., & Langley, D. J. (2016). Social media use in healthcare: A systematic review of effects on patients and on their relationship with healthcare professionals. *BMC Health Services Research*, 16(1), 442. <https://doi.org/10.1186/s12913-016-1691-0>
- Stern, E., Breton, Z., Alexaline, M., Geoffroy, P., & Bungener, C. (2024). Redefining the relationship in digital care: A qualitative study of the Digital Therapeutic Alliance. *Encephale-Revue De Psychiatrie Clinique Biologique Et Therapeutique*, 50(1), 58–65. <https://doi.org/10.1016/j.encep.2023.08.002>
- Sultan, M. I., & Amir, A. S. (2023). The utilization of digital media in health communication in Indonesia. *Journal of Health Communication*, 14(2), 23–34.
- Torous, J., Wisniewski, H., Bird, B., Carpenter, E., David, G., Elejalde, E., & others. (2019). Creating a digital health smartphone app and digital phenotyping platform for mental health and diverse healthcare needs: An interdisciplinary and collaborative approach. *Journal of Technology in Behavioral Science*, 4(2), 73–85. <https://doi.org/10.1007/s41347-019-00095-w>
- Vega-Hurtado, C. (2020). [Importance of doctor-patient communication strategies]. *Revista Médica del Instituto Mexicano del Seguro Social*, 58(2), 197–201.
- Willemsen, R. F., Aardoom, J. J., van der Galiën, O. P., van de Vijver, S., Chavannes, N. H., & Versluis, A. (2023). A digital platform to support communication and organization in the general practice: Evaluation of healthcare usage and costs using claims data of a health insurer. *International Journal of Medical Informatics*, 181, 105296. <https://doi.org/10.1016/j.ijmedinf.2023.105296>
- Wisniewski, H., & Torous, J. (2020). Digital navigators to implement smartphone and digital tools in care. *Acta Psychiatrica Scandinavica*, 141(4), 350–355. <https://doi.org/10.1111/acps.13150>
- Wu, Y. Q., & Gong, J. (2023). Mobile social media as a vehicle of health communication: A multimodal discourse analysis of WeChat official account posts during the COVID-19 crisis. *Humanities and Social Sciences Communications*, 10(1), 246. <https://doi.org/10.1057/s41599-023-01722-1>

Enhancing Doctor-Patient Communication through Digital Media Platforms: A Study on Innovation in Health Interaction

ORIGINALITY REPORT

17%

SIMILARITY INDEX

12%

INTERNET SOURCES

12%

PUBLICATIONS

9%

STUDENT PAPERS

PRIMARY SOURCES

1	esiculture.com Internet Source	2%
2	www.peeref.com Internet Source	1%
3	"Digitalization of Medicine in Low- and Middle-Income Countries", Springer Science and Business Media LLC, 2024 Publication	1%
4	www.frontiersin.org Internet Source	1%
5	www.jmir.org Internet Source	1%
6	medworm.com Internet Source	<1%
7	Submitted to North West University Student Paper	<1%
8	Submitted to Liberty University Online Academy Student Paper	<1%

9	Submitted to RMIT University Student Paper	<1 %
10	www.publish.csiro.au Internet Source	<1 %
11	Submitted to American Public University System Student Paper	<1 %
12	Submitted to University of Westminster Student Paper	<1 %
13	Submitted to Delaware Technical Community Wilmington Student Paper	<1 %
14	Submitted to United International College Student Paper	<1 %
15	listens.online Internet Source	<1 %
16	researchinvolvement.biomedcentral.com Internet Source	<1 %
17	Submitted to CSU, San Jose State University Student Paper	<1 %
18	Submitted to Regenesys Business School Student Paper	<1 %
19	Submitted to Universiti Teknologi Malaysia Student Paper	<1 %

20	academic.oup.com Internet Source	<1 %
21	amp.profiles.ucsf.edu Internet Source	<1 %
22	formative.jmir.org Internet Source	<1 %
23	Fahad Alrashed, Tauseef Ahmad, Muneera Almurdi, Asma Alderaa, Saad Alhammad, Mohammad Serajuddin, Abdulrahman Alsubiheen. "Incorporating Technology Adoption in Medical Education: A Qualitative Study of Medical Students' Perspectives", <i>Advances in Medical Education and Practice</i> , 2024 Publication	<1 %
24	Submitted to Great Basin College Student Paper	<1 %
25	Miroslav Světlák. "Virtual Waiting Room: The New Narrative of Waiting in Oncology Care", <i>Journal of Cancer Education</i> , 2024 Publication	<1 %
26	Submitted to Virginia Polytechnic Institute and State University Student Paper	<1 %
27	core-cms.prod.aop.cambridge.org Internet Source	<1 %

28

hints.cancer.gov

Internet Source

<1 %

29

www.coursehero.com

Internet Source

<1 %

30

Submitted to Duquesne University

Student Paper

<1 %

31

Muhammad Daniyal Baig, Waseem Akram, Hafiz Burhan Ul Haq, Hassan Zahoor Rajput, Muhammad Imran. "Optimizing Misinformation Control: A Cloud-Enhanced Machine Learning Approach", Information Dynamics and Applications, 2023

Publication

<1 %

32

Submitted to Sheffield Hallam University

Student Paper

<1 %

33

Submitted to University of Maryland, Global Campus

Student Paper

<1 %

34

link.springer.com

Internet Source

<1 %

35

Udan Kusmawan, Siti Aisyah, Isti Rokhiyah, Andayani, Della Raymena Jovanka, Dodi Sukmayadi. "Emerging Perspectives and Trends in Innovative Technology for Quality Education 4.0", Routledge, 2020

Publication

<1 %

36

Walker, Fayanne D.. "Educators' Perceptions of Teacher Continuity in Public Primary Schools in a British Overseas Territory", Walden University, 2023

Publication

<1 %

37

Mansoor, Masab Ahmed. "Telehealth Transformation: A Mixed-Methods Study on Organizational Change Processes and Outcomes in Private Medical Practices", South College, 2024

Publication

<1 %

38

Reena Gupta. "Examining the Impact of Green Logistics Practices on Supply Chain Resilience", Research Square Platform LLC, 2024

Publication

<1 %

39

Submitted to Southern New Hampshire University - Continuing Education

Student Paper

<1 %

40

artseduca.com

Internet Source

<1 %

41

dspace.library.uvic.ca:8080

Internet Source

<1 %

42

"Current and Emerging mHealth Technologies", Springer Science and Business Media LLC, 2018

Publication

<1 %

43

Bui Thi Hoang Hue, Tran Thi Thuy Lan. "A Study on the Use of Supplementary Materials in Teaching English Speaking Skills at Tuyen Quang School for Excellence", European Journal of Contemporary Education and E-Learning, 2024

Publication

<1 %

44

Fatma Laili Khoirun Nida. "Faith and the Meaning of Life: Reflections on the Crisis Experience and Spiritual Transformation of Covid-19 Survivors", Proceeding of Saizu International Conference on Transdisciplinary Religious Studies, 2021

Publication

<1 %

45

Glenn Möllergren, Tove Harnett. "Life story templates in dementia care: Ambiguous direction and purpose", Dementia, 2024

Publication

<1 %

46

Martin C.S. Wong. "The Routledge Handbook of Public Health and the Community", Routledge, 2021

Publication

<1 %

47

Yasutoshi Moteki. "Factors Determining User Satisfaction with Counter Services of Local Government Offices: On-Site Survey at Higashihiroshima City Hall, Japan", Research Square Platform LLC, 2021

Publication

<1 %

48

pure.johnshopkins.edu

Internet Source

<1 %

49

www.tandfonline.com

Internet Source

<1 %

50

Bautista, Justine. "Understanding Adoption and Use of Digital Mental Health Applications "Apps" among College Students and Relation to Mental Health Variables", University of California, Irvine, 2023

Publication

<1 %

51

Hannah Wecker, Lea Höllerl, Teresa Sophie Schick, Tilo Biedermann, Alexander Zink, Stefanie Ziehfrend. "Patient journey and disease-related digital media usage: A cross-sectional study among dermatology patients across Germany", JDDG: Journal der Deutschen Dermatologischen Gesellschaft, 2024

Publication

<1 %

52

Teresa L. Thompson, Nancy Grant Harrington. "The Routledge Handbook of Health Communication", Routledge, 2021

Publication

<1 %

53

doi.org

Internet Source

<1 %

54

ebin.pub

Internet Source

<1 %

55	myscholar.umk.edu.my Internet Source	<1 %
56	pubmed.ncbi.nlm.nih.gov Internet Source	<1 %
57	www.acd.org Internet Source	<1 %
58	Mohamed A. Jaber, Essra M. Elameen. "chapter 11 Promotion and Prevention of Oral Cancer in the Digital Era", IGI Global, 2024 Publication	<1 %
59	Baack, Donald; Fischer, Arthur; Vellek, Susan A.. "The Essentials of Managing in the Health Care Industry, Updated Second Edition", UAGC, 2024 Publication	<1 %
60	Emily Eisner, Natalie Berry, Sandra Bucci. "Digital tools to support mental health: a survey study in psychosis", BMC Psychiatry, 2023 Publication	<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On

Enhancing Doctor-Patient Communication through Digital Media Platforms: A Study on Innovation in Health Interaction

GRADEMARK REPORT

FINAL GRADE

GENERAL COMMENTS

/0

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7

PAGE 8

PAGE 9

PAGE 10

PAGE 11

PAGE 12

PAGE 13

PAGE 14

PAGE 15

PAGE 16

PAGE 17

PAGE 18